

<b>Project Name</b>	Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project
<b>Project Proponent</b>	M/s Agrasain Spaces LLP
<b>Project Address</b>	Village Mujeri, Sector 70, Faridabad

**JUNE  
2020**

## CHAPTER III: POST ENVIRONMENTAL COMPLIANCE STATUS

**Name of the project:** Affordable Group Housing Project at Village – Mujeri, Sector - 70, Faridabad, Haryana.

**EC letter no.:** SEIAA/HR/2019/246, Dated: 30/08/2019

### A. Compliance of conditions as mentioned in the EC letter

S. No.	CONDITIONS	STATUS OF COMPLIANCE
<b>I. STATUTORY COMPLIANCE</b>		
1.	The project proponent shall obtain all necessary clearance/permission from commencement of work. All the construction shall be done in accordance with the local building byelaws.	All the construction is being done in accordance with the local building byelaws. The CTE has been obtained and is attached as <b>Annexure II</b> . CTO has already been obtained for Phase I and is attached as <b>Annexure III</b> .
2.	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of fire fighting equipments etc as per National Building Code including protection measures from lightening.	a) To deal with any fire related accident, suitable fire fighting scheme has been employed after being approved from Haryana Fire service and copy for the same is attached as <b>Annexure IV</b> . Same will be followed in Phase II. b) Structure stability certificate has been obtained and attached as <b>Annexure XVI</b> . The designing of buildings is done in order to provide resistance from earthquake and comply with the required IS specifications. Structural safety of the building due to earthquake, adequacy of fire fighting equipment, etc. as per the National Building Code 2005 including protection measures from lightening etc. are being ensured.
3.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	Forest NOC was obtained and attached as <b>Annexure V</b> .
4.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	The Project does not fall within the eco sensitive zone or within 10 km radius of a National park /Wildlife sanctuary where eco sensitive zone are not notified. Hence; the

<b>Project Name</b>	Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project
<b>Project Proponent</b>	M/s Agrasain Spaces LLP
<b>Project Address</b>	Village Mujeri, Sector 70, Faridabad

**JUNE  
2020**

		project does not require the clearance from the National Board for Wildlife.
5.	The project proponent shall obtain Consent to Establish/Operate under the provision of Air (Prevention & Control of Pollution) Act, 1981 and the water (Prevention & Control) Act, 1974 from the Haryana state Pollution Control Board.	The CTE has been obtained and is attached as <b>Annexure II</b> .
6.	The project proponent shall obtain all the necessary permission for drawl of ground water/ surface water required for the project from the competent authority.	No ground water extraction was done during construction phase and operation phase. Therefore NOC from CGWA is not applicable. STP treated water from HUDA was used in construction activities. Currently, STP treated water from the operational STP of Phase I is being used after meeting requirement of horticulture and flushing.
7.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Power assurance from DHBVN has been obtained for the project and copy of the same with electricity bill is attached as <b>Annexure VI</b> .
8.	All other statutory clearances such as the approvals for storage of diesel from Chief controller of Explosives, Fire Department, and Civil Aviation department shall be obtained, as applicable, by project proponent from the respective competent authorities.	All the required and necessary permission have been obtained. <ul style="list-style-type: none"> <li>a. Consent to establish was taken prior to start to construction and copy for the same is attached as <b>Annexure II</b>.</li> <li>b. NOC from Deputy Conservator of Forests has been obtained. Copy of the same is attached as <b>Annexure IV</b>.</li> <li>c. NOC for height clearance from AAI has been obtained.</li> </ul>
9.	The provisions of the Solid waste (Management) rules, 2016, e-waste (Management) rules, 2016 and the Plastics Waste (Management) rules, 2016 shall be followed.	Negligible amount of E-waste is being generated as this is an Affordable Group Housing Project. It has been managed by the residents on their own (under EPR) and scrap dealers will be assigned to procure e-waste from common areas.
10.	The project Proponent shall follow the ECBC Act/ECBC- Rules prescribed by Bureau of Energy Efficiency, Ministry of Power strictly in addition of bylaws of the State Government.	ECBC report has already been submitted with previous compliance report June 2019. Same measures is being followed during Phase II.

**II. AIR QUALITY MONITORING AND PRESERVATION**

(i)	Notification GSR 94(E) dated 25.01.2018 of	Construction material is being covered properly. Towers under construction are also
-----	--	---

<b>Environment Consultant</b>	<b>Aplinka Solutions &amp; Technologies Pvt. Ltd, Noida Uttar Pradesh</b>	13
-------------------------------	---	----

<b>Project Name</b>	<b>Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project</b>
<b>Project Proponent</b>	<b>M/s Agrasain Spaces LLP</b>
<b>Project Address</b>	<b>Village Mujeri, Sector 70, Faridabad</b>

**JUNE  
2020**

	MoEF&CC regarding Mandatory Implementation of Dust mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.	being covered with green net. Boundary wall has been constructed. Regular water sprinkling is being done for suppression of dust during the Phase I construction Phase. Same is being followed in the Phase II. Anti-Smog gun is also used to suppress dust.
(ii)	Amanagement plan shall be drawn up & implemented to contain the current exceedance in ambient air quality at the site.	Amanagement plan is being followed as to contain the current exceedance in ambient air quality at the site. All the measures are being taken to mitigate the air pollution. Construction material is being covered properly. Towers under construction are also being covered with green net. Boundary wall has been constructed. Regular water sprinkling is being done for suppression of dust during the Phase I construction Phase. Same is being followed in the Phase II. Anti-Smog gun is also used to suppress dust.
(iii)	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 & PM 2.5) covering upwind & downwind directions during the construction period.	The Environment Monitoring reports are attached as <b>Annexure -VIII</b> .
(iv)	Diesel power generating sets proposes as source of back-up power should be enclosed type & conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of Ultra low sulphur diesel. The location of the DG sets may be decided with the consultation with State Pollution control Board.	During Phase I: a) DG Sets is being used for backup power and mainly for lift, common area and for domestic use area. b) The height of DG Stacks is being raised adequately above the roof level of highest building height within the project site. c) To avoid noise pollution acoustic enclosures is being placed over the DG Set as per rules made under the Environment (Protection) Act, 1986. The ultra low sulphur diesel will be used for DG sets. Same will be followed in the Phase II.
(v)	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention	During construction phase I, dust suppression was done by regular water sprinkling. Same is being followed during Phase II construction.

<b>Project Name</b>	Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project
<b>Project Proponent</b>	M/s Agrasain Spaces LLP
<b>Project Address</b>	Village Mujeri, Sector 70, Faridabad

**JUNE  
2020**

	measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction material prone to causing dust pollution at the site as well as taking out debris from the site.	Other dust control measures is being also be adopted such as covering up of construction material by tarpaulin sheet, proper barricading of site, and use of dust control net. Log book maintained of water sprinkling is attached as <b>Annexure IX</b> . Anti-Smog gun is also used to suppress dust. Photographs for the same are also included in Chapter II.
(vi)	Sand, murrum, loose soil, stored on the site shall be covered adequately so as to prevent dust pollution.	Noted. This is being followed.
(vii)	Wet jet shall be provided for grinding and stone cutting.	Care is taken during the grinding and stone cutting so that it doesn't result in fugitive emissions. Wet jet is being used where required.
(viii)	Unpaved surfaces and loose soil shall be sprinkled with water to suppress dust.	Sprinkling is done regularly. Log book maintained of water sprinkling is attached as <b>Annexure IX</b> . Anti-Smog gun is also used to suppress dust.
(ix)	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provision of the Construction and Demolition waste rules 2016.	Demolition is not applicable. All construction debris will be reused at the site as it was done for Phase I. In case, anything will remain it will be managed as demolition and construction waste will be managed as per the provision of the Construction and Demolition waste rules 2016.
(x)	The diesel generator sets to be used during construction phase shall be ultra low sulphur diesel type and shall conform to Environment (Protection) Act prescribed for air and noise emission standards.	The ultra low sulphur diesel is being used for DG sets. Diesel bill is enclosed as <b>Annexure XVIII</b> .
(xi)	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Ultra low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the	During operation of Phase I: d) DG Sets is being used for backup power and mainly for lift, common area and for domestic use area. e) The height of DG Stacks is being raised adequately above the roof level of highest building height within the project site.

<b>Project Name</b>	Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project
<b>Project Proponent</b>	M/s Agrasain Spaces LLP
<b>Project Address</b>	Village Mujeri, Sector 70, Faridabad

**JUNE  
2020**

	Central pollution Control Board (CPCB) norms.	f) To avoid noise pollution acoustic enclosures is being placed over the DG Set as per rules made under the Environment (Protection) Act, 1986. The ultra low sulphur diesel will be used for DG sets. Same will be followed in the Phase II.
(xii)	For indoor air quality the ventilation provisions as per National Building code of India.	Agreed. All ventilation will be given as per NBC.
(xiii)	The project proponent shall provide water sprinkling system in the project area to suppress the dust in addition to the already suggested mitigation measures in the Air Environment chapter of EMP.	During construction phase I, dust suppression was done by regular water sprinkling. Same is being followed in Phase II. Anti-Smog gun is also used to suppress dust. Photographs for the same are included in chapter II. Only PUC certified vehicles are allowed to enter the construction site. Copy of PUC is attached as <b>Annexure XII</b> .
(xiv)	The Project Proponent shall ensure proper Air Ventilation And Light system in the basements area for Comfortable living of human being and shall ensure that number of Air changes per hour/(ACH) in basement never falls below 1.5. In case of emergency capacity for increasing ACH to the extent of 30 must be provided by the project proponent.	No basement is proposed in the project.

### III. WATER QUALITY MONITORING AND PRESERVATION

(i)	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.	No construction was done to obstruct the natural drainage through the site. Five rain water harvesting pits have been constructed in Phase I to harvest the rain water on the site. Further, RWH pits will be constructed as proposed for Phase II.
(ii)	Building shall be designated to follow the natural topography as much as possible. Minimum cutting and filling should be done.	Noted. Building is designed as per NBC and local bye laws.
(iii)	Total fresh water use shall not exceed the proposed requirement as provide in the	This is ensured.

<b>Project Name</b>	<b>Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project</b>
<b>Project Proponent</b>	<b>M/s Agrasain Spaces LLP</b>
<b>Project Address</b>	<b>Village Mujeri, Sector 70, Faridabad</b>

**JUNE  
2020**

	project details.	
(iv)	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the regional Office, MoEF & CC/SEIAA along with six monthly compliance reports.	During the operational phase of the complete project the water balance showing the quantities of fresh water and recycled water will be submitted.
(v)	A certificate shall be obtained from the local body supplying water, specifying the total water availability with the local authority, the quantity of water already committed the quality of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water available sources, ensuring that there is no impact on other users.	Agreed. Water assurance has already been granted by the local body.
(vi)	At least 20 % of the open area spaces as required by the local building bye-laws shall be pervious. Use of grass pavers, paver blocks with at least 50 % opening, landscape etc. would be considered as previous surface.	Landscape is being developed as per the plansubmitted to SEIAA, UP. The photographgreenbelt has been attached in Chapter II.
(vii)	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Agreed. STP of phase 1 is in operation and treated water is being used for horticulture and flushing. Remaining water is being utilized for construction of Phase II.
(vii)	Use of water saving devices/fixtures (viz. low flushing systems; use of low faucets tap aerators etc) for water conservation shall be incorporated in the building plan.	Agreed.
(ix)	Separation of grey and black water should be done by the use dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.	Dual plumbing is being followed in Phase I. Same will be followed during Phase II.
(x)	Water demand during construction should be reduced by use of pre-mixed concrete,	Use of ready mix concrete was done for construction. Same is being followed during

<b>Project Name</b>	<b>Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project</b>
<b>Project Proponent</b>	<b>M/s Agrasain Spaces LLP</b>
<b>Project Address</b>	<b>Village Mujeri, Sector 70, Faridabad</b>

**JUNE  
2020**

	curing agents and other best practices referred.	Phase II.
(xi)	The local bye-law provisions on rain water harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model building Byelaws, 2016. 06 Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.	Rain water harvesting pits has been provided for ground water recharging as per the CGWB norms during Phase I and same will be followed in Phase II.
(xii)	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 sq. m. of built-up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain eater should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	Five rain water harvesting pits have been constructed in Phase I to harvest the rain water on the site. Further, RWH pits will be constructed as proposed for Phase II.
(xii)	All recharge should be limited to shallow aquifer.	Noted.
(xi)	No ground water shall be used during construction phase of the project.	No ground water extraction was done during construction phase. STP treated water from HUDA was used in construction activities. In Phase II construction, STP treated water from the operational STP of phase I is being used.
(xv)	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	No ground water dewatering was done. Same has been followed during Phase II.
(xvi)	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water the water balance as projected by the project	Fresh water assurance has been obtained. Further, record will be maintained once the project is completely operational. Currently, only 4 towers are in operation.

<b>Project Name</b>	Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project
<b>Project Proponent</b>	M/s Agrasain Spaces LLP
<b>Project Address</b>	Village Mujeri, Sector 70, Faridabad

**JUNE  
2020**

	proponent . The record shall be submitted to the Regional office, MoEF&CC/SEIAA along with six monthly Monitoring reports.	
(xvii)	Sewage shall be treated in the STP with tertiary treatment having BOD value less than 10 ppm. The treated effluent from STP shall be recycled/reused for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.	Waste water generated during operation phase I is being treated in STP and treated water from STP is being recycled to maximum extent, through dual plumbing piping system. The recycled water is being used for flushing & gardening. Remaining water is being used for construction of Phase II.
(xviii)	No sewage or untreated effluent water would be discharged through storm water drains.	Noted.
(xix)	Onsite sewage treatment of capacity of treating 100 % waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commission or operation. Treated waste water shall be reused on the site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of environment, forest and Climate Change. Natural treatment systems shall be promoted.	For Phase I, Installation of STP has been completed for the treatment of waste water and treated water is being recycled and utilized in landscaping development and flushing. Further, the STP feasibility report had already been submitted to SEIAA, Haryana. For Phase 2, STP will be installed for the treatment of waste water and construction is in process.
(xx)	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	Periodical monitoring of water quality of treated sewage is conducted. Environmental monitoring analysis has been incorporated in <b>Chapter IV</b> and Environment monitoring Report is attached as <b>Annexure-VIII</b> .
(xx)	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environment Engineering Organization (CPHEEO) Manual on Sewage and Sewage Treatment Systems, 2013.	Sludge from the sewage treatment plant is being handled as per the Ministry of Urban Development, Central Public Health and Environment Engineering Organization (CPHEEO) Manual on Sewage and Sewage Treatment Systems, 2013.

**IV. NOISE MONITPRING AND PREVENTION**

<b>Environment Consultant</b>	<b>Aplinka Solutions &amp; Technologies Pvt. Ltd, Noida Uttar Pradesh</b>	19
-------------------------------	---	----

<b>Project Name</b>	Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project
<b>Project Proponent</b>	M/s Agrasain Spaces LLP
<b>Project Address</b>	Village Mujeri, Sector 70, Faridabad

**JUNE  
2020**

(i)	Ambient noise levels shall conform to residential area/commercial area/ silence zone both during day and night as per Noise pollution (Control and Regulation) rules 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/SPCB.	Ambient air & noise levels have been monitored. Environmental monitoring analysis has been incorporated in <b>Chapter IV</b> and Environment monitoring Report is attached as <b>Annexure-VIII</b> .
(ii)	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry/SEIAA as a part of six-monthly compliance report.	Environment monitoring Report is attached as <b>Annexure-VIII</b> .
(iii)	Acoustic enclosures for DG sets, noise barriers for ground run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	To avoid noise pollution acoustic enclosures has been placed over the DG Set as per rules made under the Environment (Protection) Act, 1986.
<b>V. ENERGY CONSERVATION MEASURES</b>		
(i)	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC also.	Agreed. ECBC report has already been submitted with previous compliance report June 2019.
(ii)	Outdoor and common area lighting shall be LED.	This will be followed.
(iii)	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelop, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof R & U-values shall be as per ECBC specifications.	Noted.
(iv)	Energy conservation measures like installation of CFLs/LED for the lighting the	CFLs/LEDs being used wherever possible as a measure of energy conservation. Same will be followed during Phase II.

<b>Project Name</b>	Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project
<b>Project Proponent</b>	M/s Agrasain Spaces LLP
<b>Project Address</b>	Village Mujeri, Sector 70, Faridabad

**JUNE  
2020**

	area outside the building should be integral part of the project design and should be in place before project commissioning.	
(v)	Solar, wind or other Renewable Energy shall be installed to be meet electricity generation equivalent to 1% of the demand load or as per the state level/local building bye-law's requirement, whichever is higher.	Agreed. Solar panels are installed and photograph are enclosed in Chapter II.
(vi)	Solar power shall be used for lightning in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per requirement of the local building byelaws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Noted. Solar panels are installed and photograph are enclosed in Chapter II. Certificate for the solar plant is attached as <b>Annexure XIV</b>
(vii)	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of explosives shall be taken.	During operation phase; DG sets are used only in case of power failure as temporary electricity connection will be acquired; hence diesel will be purchased on daily consumption basis within the permissible limits. As no clearance is required for storage and transport of any such product (i.e. petroleum class B) if the total quantity in your possession does not exceed 2500 litres in non-bulk (i.e. drums) or 1000 litres in a receptacle / tank (i.e. bulk). (Source: Petroleum Rules, 2002). Similarly is it followed in construction phase.
(viii)	Roof must meet prescriptive requirement as per Energy conservation Building Code by using appropriate thermal material.	Building has been designed & constructed using thermal insulating materials as per the Energy Conservation Building Code.
(ix)	Opaque wall must meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air conditioned spaces while it is desirable for non-air-conditioned spaces by use of appropriate thermal	Opaque walls will meet the prescriptive requirement as per Energy Conservation Building Code.

<b>Project Name</b>	Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project
<b>Project Proponent</b>	M/s Agrasain Spaces LLP
<b>Project Address</b>	Village Mujeri, Sector 70, Faridabad

**JUNE  
2020**

	insulation material to fulfil requirement.	
<b>VI. WASTE MANAGEMENT</b>		
(i)	A certificate from the competent authority handling municipal solid wastes, including the existing civic capacities of handling and their adequacy to cater to the M.S.W generated from project shall be fulfil requirement.	Noted. Waste is being managed through the private vendor and agreement of the same is attached as <b>Annexure XV</b> .
(ii)	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	<p>a) As basement is not proposed, minimum soil is being excavated. Top soil will be segregated and used for horticulture. Remaining soil will be maximally used in levelling and road construction. Same was followed for Phase I.</p> <p>b) In case soil will remain, it will be disposed only in approved sites with the approval of competent authority.</p> <p>c) Solid wastes like spent concrete, metal waste, waste bricks etc. was collected at designated spaces and used within site. Similarly, it will be followed for Phase II.</p> <p>d) If waste remains, it will be disposed off as per C&amp;D Management Rule, 2016.</p>
(iii)	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.	The solid waste generated is being collected and segregated as per the requirement of the Solid Waste Management Rules, 2016 and amended thereof. Bins have been provided for construction and operational phase. Waste is being sent through private vendor for treatment and disposal and agreement of same in attached as <b>Annexure XV</b> .
(iv)	Organic Waste Converter within the premises with a minimum capacity of 0.5 kg/person/day must be installed. Leaves to be put in earmarked pits for converting them into compost to be used as manure.	Organic Waste Converter will be installed once complete project gets operational phase.
(v)	All non-biodegradable waste shall be handed over to the authorized recyclers for which a written tie up must be done with the authorized recyclers.	Waste is being sent through private vendor for treatment and disposal and agreement of same in attached as <b>Annexure XV</b> .
(vi)	Any hazardous waste generated during construction phase, shall be disposed off as	During construction phase used oil from DG sets is carefully stored in HDPE drums at

<b>Project Name</b>	Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project
<b>Project Proponent</b>	M/s Agrasain Spaces LLP
<b>Project Address</b>	Village Mujeri, Sector 70, Faridabad

**JUNE  
2020**

	per applicable rules and norms with necessary approvals of the State Pollution Control Board.	isolated storage area. All precautions are being taken to avoid spillage from storage as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Same is followed for operation phase. Authorization under hazardous waste has been attached as <b>Annexure XIX</b> .
(vii)	Use of environment friendly materials in bricks, block and other construction materials, shall be required for at least 20% of the construction material quality. These include Fly Ash, hollow bricks, AACs, Fly Ash Lime Gypsum Blocks, compressed Earth Blocks, and other environment friendly material.	Building material comprise maximum of environment friendly material. Copy of fly ash blocks bill is attached as <b>Annexure XI</b> .
(viii)	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27 <sup>th</sup> August, 2003 and 25 <sup>th</sup> January 2016. Ready mixed concrete must be used in building construction.	Building materials containing Fly ash such as fly ash mixed bricks has been used for the construction purposes as per the provision of Fly Ash Notification of September, 1999 and amended as on 27 <sup>th</sup> August, 2003 and 25 <sup>th</sup> January 2016. Copy of fly ash blocks bill is attached as <b>Annexure XI</b> .
(ix)	Any waste from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.	Demolition is not applicable. All construction debris will be reused at the site. In case, anything will remain it will be managed as demolition and construction waste will be managed as per the provision of the Construction and Demolition waste rules 2016.
(x)	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.	Agreed. This is being followed.
<b>VII. GREEN COVER</b>		
(i)	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based	No tree-felling activity will be done on the site.

<b>Project Name</b>	Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project
<b>Project Proponent</b>	M/s Agrasain Spaces LLP
<b>Project Address</b>	Village Mujeri, Sector 70, Faridabad

**JUNE  
2020**

	on the girth and age regulations as may be prescribed by the Forest Department Plantations to be ensured species (cut) to species (planted).	
(ii)	A minimum of 1 tree for every 80 sq. m. Of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.	The landscape planning is including plantation of native species and will be done as per approved plan. The species with heavy foliage, broad leaves and wide canopy cover is being considered. Same will be followed during Phase II.
(iii)	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.	No tree cutting is involved. Area for green belt development will be provided as per the approved plan.
(iv)	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.	<p>a) Top soil will be segregated and used for horticulture. Remaining soil will be maximally used in levelling and road construction. Same was followed for Phase I.</p> <p>b) In case soil will remain, it will be disposed only in approved sites with the approval of competent authority.</p>
(v)	The project proponent shall provide green area on terrace and roof top.	This will be followed to possible extent.

**VIII. TRANSPORT**

(i)	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public and private networks. Road should be designed with due consideration for environment and safety of	Agreed. This will be followed.
-----	---	--------------------------------

<b>Project Name</b>	Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project
<b>Project Proponent</b>	M/s Agrasain Spaces LLP
<b>Project Address</b>	Village Mujeri, Sector 70, Faridabad

**JUNE  
2020**

	users. The road system can be designed with these basic criteria. <ul style="list-style-type: none"> <li>a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.</li> <li>b. Traffic calming measures</li> <li>c. Proper design of entry and exit points.</li> <li>d. Parking norms as per local regulations.</li> </ul>	
(ii)	Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards be operated only during non-peak hours.	Only PUC certified vehicles has been allowed at the site for bringing the construction material. Copy of PUC certificate is attached as <b>Annexure XII</b> .
(iii)	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 km. radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Km radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the implementation of components of the plan which involve the participation of these departments.	Noted.
<b>IX. HUMAN HEALTH ISSUES</b>		
(i)	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	Personnel protective equipment and training are being provided for the construction workers. Photographs for the same are included in Chapter II.
(ii)	For indoor air quality the ventilation provisions as per national Building Code of India.	Noted. Ventilation will be as per NBC.

<b>Project Name</b>	Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project
<b>Project Proponent</b>	M/s Agrasain Spaces LLP
<b>Project Address</b>	Village Mujeri, Sector 70, Faridabad

**JUNE  
2020**

(iii)	Emergency preparedness plan based on the hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Agreed. Emergency preparedness plan will be followed.
(iv)	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project.	Temporary labour hutments are being provided outside the site from the construction area. Potable water, toilets and medical facility has been provided. Bill for bottled water is attached as <b>Annexure X</b> .
(v)	Occupational health surveillance of the workers shall be done on a regular basis.	This is being done.
(vi)	A first Aid room shall be provided in the project both during construction and operation of the project.	A first Aid room has been provided in the project during construction and operation of the project. Photographs for the same are attached in Chapter II. Log book of the same is maintained and attached as <b>Annexure XVII</b> .
(vii)	The project proponent shall be adequately control construction dusts like silica dust, non-silica dust and wood dust. Such dusts shall not spread outside project premises. Project proponent shall provide respiratory protective equipment to all construction workers.	PPE is being provided to the workers. To control dust, all the measures are being taken like covering of construction material, water sprinkling, etc.

**X. CORPORATE ENVIRONMENT RESPONSIBILITY**

(i)	The project proponent shall comply with the provisions contained in this Ministry's OM vide F. No. 22/65/2017-IA.III dated 1 <sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.	Noted. Vitamin -C tablet has been donated to the dispensary as a part of CER activity to contribute in response to the Covid-19 pandemic situation. Copy of the bill is attached as <b>Annexure XXII</b> .
(ii)	The company shall have a well laid down e Environmental policy duly approved by the board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife	Noted.

<b>Project Name</b>	Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project
<b>Project Proponent</b>	M/s Agrasain Spaces LLP
<b>Project Address</b>	Village Mujeri, Sector 70, Faridabad

**JUNE  
2020**

	norms/conditions/ and/ or stakeholders/ stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC/SEIAA as a part of six monthly compliance reports.	
(iii)	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Agreed. This will be followed.
(iv)	Action Plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of action plan shall be reported to the Ministry/Regional Office/SEIAA along with the Six Monthly Compliance Report.	Agreed. This will be followed.

**XI. MISCELLANEOUS**

(i)	The project proponent shall prominently advise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed.	Newspaper advertisement has been made and attached as <b>Annexure XX</b> .
(ii)	The copies of the environmental clearance shall be submitted by the project proponents to the Head of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Copy of Environment Clearance has been submitted in the Municipal office.
(iii)	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	It has been uploaded on the website " <a href="https://agrasainspaces.com/">https://agrasainspaces.com/</a> "
(iv)	The project proponent shall also submit six monthly reports on the status of compliance	Noted. Six monthly compliance reports are being regularly submitted to the northern

<b>Project Name</b>	<b>Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project</b>
<b>Project Proponent</b>	<b>M/s Agrasain Spaces LLP</b>
<b>Project Address</b>	<b>Village Mujeri, Sector 70, Faridabad</b>

**JUNE  
2020**

	of the stipulated EC conditions including results of monitored data (soft copies) to the northern Regional Office of MoEF, HSPCB and SEIAA Haryana.	regional office of MoEF, HSPCB and SEIAA Haryana. Acknowledgement copy of six monthly compliance report submission is attached as <b>Annexure I</b> .
(v)	The project proponent shall submit the environmental Statement for each financial year in Form - V the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Noted. This is being followed. Copy of speed post for submission of Form- V is attached as <b>Annexure XXI</b> .
(vi)	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Agreed. This will be followed.
(vii)	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted.
(vii)	The project proponent shall abide by all the commitments and recommendations made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Noted.
(ix)	No further expansion or modifications on the plan shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC). The project proponent shall seek fresh environmental clearance under EIA notification 2006 if at any stage there is change of planning of this project.	Noted.
(x)	Concealing factual data or submission or false/fabricated data may result in revocation of this environmental clearance and attract action under the provision of Environment (Protection) Act, 1986.	Noted.
(xi)	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.
(xii)	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted.

<b>Project Name</b>	Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project
<b>Project Proponent</b>	M/s Agrasain Spaces LLP
<b>Project Address</b>	Village Mujeri, Sector 70, Faridabad

**JUNE  
2020**

(xiii)	The Regional Office of the Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional Office by furnishing the requisite data/ information/monitoring reports.	Agreed. This will be followed.
(xiv)	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act 1981, the Environment (Protective) Act, 1986, Hazardous and other waste (Management and Trans Boundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by Hon'ble Supreme Court of India/High Courts and any other Court of Law relating to the subject matter.	Noted.
(xv)	The Project Proponent shall ensure the commitments made in Form I, Form- IA, EIA/EMP and other documents submitted to the SEIAA for the protection of environment and proposed environmental safeguards are complied with in letter and spirit. In case of contradiction between two or more documents on the point, the most environmentally friendly commitment on the point shall be taken as commitment by project proponent.	Noted.
(xvi)	STP outlet after stabilization and stack emission shall be monitored monthly. Other environmental parameters and green belt shall be monitored on quarterly basis. After 3 (three) months, the project proponent shall conduct environmental audit and shall take corrective measure, if required without delay.	Agreed. This will be followed.  Results of STP inlet-outlet parameters are incorporated in <b>Chapter IV</b> and the reports are enclosed in <b>Annexure VIII</b> . Environmental audit is conducted in every three month. Copy of the audit report (Oct - Dec, 2019) has been submitted with previous compliance report andfor period Jan- March 2020 has been attached as <b>Annexure XIII</b>
(xvii)	The project proponent shall not violet any judicial orders/pronouncements issued by any Court/Tribunal.	Noted.
(xviii)	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the Project Proponent if it was found that construction of project has	Noted.

<b>Project Name</b>	<b>Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project</b>
<b>Project Proponent</b>	<b>M/s Agrasain Spaces LLP</b>
<b>Project Address</b>	<b>Village Mujeri, Sector 70, Faridabad</b>

**JUNE  
2020**

	been started before obtaining prior Environment Clearance.	
(xix)	Any appeal against the this Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.
(xx)	The project proponent shall put in place Corporate Environment Policy as mentioned in MoEF, GOI OM No. J-11013/41/2006-IA II (I) dated 26.04.2012 within 3 months period. Latest Corporate Environment Policy Should be submitted to SEIAA within 3 months of issuance of this letter.	The Corporate Environment policy was submitted with the reply of certified compliance.
(xx)	The project proponent shall ensure the compliance of Forest Department, Haryana Notification no.S.O.121/PA2/1900/S.4/97 dated 28.11.1997.	Noted.
(xx)	The project proponent is responsible for compliance of all conditions in Environmental Clearance letter and project proponent cannot absolve himself/herself of the responsibility by shifting it to any contractor engaged by project proponent. Besides the developer/applicant, the responsibility to ensure the compliance of Environmental Safeguards/conditions imposed in the Environmental Clearance letter shall also lie on the licensee/licensee in whose name/name the license/CLU has been granted by the Town & Country Planning Department, Haryana.	Noted.
(xxiii)	The project proponent shall seek fresh Environmental clearance if at any stage there is change in the planning of the proposed project.	Noted.
(xxiv)	The project proponent shall conduct environmental audit, at every three months interval and there after corrected measures shall be taken without any delay. Details of environmental audit and corrective measures shall be submitted in the monitoring report.	Environmental audit is conducted in every three month. Copy of the audit report (Oct – Dec, 2019) has been submitted with previous compliance report and for period Jan- March 2020 has been attached as <b>Annexure XIII</b>
(xxv)	The Project Proponent shall not raise any construction in the natural land depression / Nallah/water course and shall ensure that the natural flow from the Nallah/water course is not obstructed.	There is no natural land depression/ Nallah/ water course in the project site. Natural flow during rainy season will not be obstructed.

<b>Project Name</b>	<b>Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project</b>
<b>Project Proponent</b>	<b>M/s Agrasain Spaces LLP</b>
<b>Project Address</b>	<b>Village Mujeri, Sector 70, Faridabad</b>

**JUNE  
2020**

(xxvi)	The Project Proponents shall keep the plinth level of the building blocks sufficiently above the level of the approach road to the Project. Level of the other areas in the Project shall also be kept suitably above to avoid flooding.	Plinth level of the building blocks has been made sufficiently above the level of the approach road. Level of the other areas will be kept suitably above the approach road level to avoid flooding.
(xxvii)	The project proponent shall construct a sedimentation basin in the lower level of the project site to trap pollutant and other wastes during rains.	Noted.
(xxviii)	The project proponent shall provide proper Rasta of proper width and proper strength for the project before the start of construction.	A Rasta of proper width and strength will be provided before the start of construction.
(xxix)	The project proponent shall develop complete civic infrastructure of the Residential Plotted colony including internal roads, green belt development, sewerage line, Rain Water recharge arrangements, Storm water drainage system, Solid waste management site and provision for treatment of bio-degradable waste, STP, water supply line, dual plumbing line, electric supply line etc. and shall offer possession of the units/flat thereafter.	Noted. Development is being done as per approved drawings.
(xxx)	The project proponent shall provide fire control room and fire officer for building above 30 meter as per National Building Code.	Fire control room has been provided and photograph is enclosed in Chapter II.
(xxxii)	The site for solid waste management plant has been marked on the layout plan and the detailed project for setting up the solid waste management plant shall be submitted to the Authority within one month.	The site for solid waste management plant has been earmarked on the layout plan and the detailed project for setting up the solid waste management plan has been already submitted to the Authority.
(xxxiii)	The project proponent shall discharge excess of Treated wastewater/storm water in the public drainage system and shall seek permission of HUDA before the start of construction.	The assurance to discharge the excess treated water was taken from HUDA. Copy of the same has already been submitted with previous compliance report June 2019.
(xxxiv)	The project proponent shall maintain the distance between STP and water supply line.	The STP and water supply line are laid side by side. Both the lines are exposed throughout their length. The lines are separate and no cross connection are given in between pipe at any point.
(xxxv)	The project proponent shall ensure that the stack height is 6 meter more than the highest tower.	Noted. Adequate DG stack height has been raised above the building and same will be done for the Phase II.
(xxxvi)	For disinfection of the treated wastewater ultra-violet radiation or ozonation process should be used.	Noted.

<b>Project Name</b>	<b>Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project</b>
<b>Project Proponent</b>	<b>M/s Agrasain Spaces LLP</b>
<b>Project Address</b>	<b>Village Mujeri, Sector 70, Faridabad</b>

**JUNE  
2020**

(xxxvi)	The project proponents shall strive to minimize water irrigation of landscape by minimizing grass area, using native variety, xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation only after checking evapo-transpiration data.	Noted.
(xxxvii)	The Project Proponents shall use zero ozone depleting potential material in insulation, refrigeration, air-conditioning and adhesive. Project Proponents shall also provide Halon free fire suppression system.	Noted.
(xxxviii)	Standards for discharge of environmental pollutants as enshrined in various schedules of rule 30 of Environment Protection Rule 1986 shall be strictly complied with.	Agreed. This will be followed.
(xxxix)	The project proponents shall ensure that the DG sets are more than the highest tower and also ensure that the emission standards of noise and air are within the CPCB latest prescribed limits. Noise and Emission level of DG sets greater than 800KV shall be as per CPCB latest standards for high capacity DG sets.	Noted. Adequate DG stack height has been raised above the building and same will be done for the Phase II.
(xl)	All electric supply exceeding 100 amp, 3 phases shall maintain the power factor between 0.98 lag to 1 at the point of connection.	Noted.
(xli)	The project proponents shall not use freshwater for HVAC and DG cooling. Air based HVAC system should be adopted and only treated water shall be used by project proponent for cooling, if it is at all needed. The Project Proponents shall also use evaporative cooling technology and double stage cooling system for HVAC in order to reduce water consumption. Further temperature, relative humidity during summer and winter seasons should be kept at optimal level. Variable speed drive, best Co-efficient of Performance (COP), as well as optimal Integrated Point Load Value and minimum outlet fresh air supply may be resorted for conservation of power and water. Coil type cooling DG sets shall be used for saving cooling water consumption for water cooled DG sets.	HVAC is not proposed and DG are air cooled.
(xlii)	The project proponents shall ensure that the transformer is constructed with high quality grain oriented, low loss silicon steel and virgin electroly	Transformer manufacture certificate was submitted for Phase-I with the datasheet of certified compliance.

<b>Project Name</b>	<b>Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project</b>
<b>Project Proponent</b>	<b>M/s Agrasain Spaces LLP</b>
<b>Project Address</b>	<b>Village Mujeri, Sector 70, Faridabad</b>

**JUNE  
2020**

	tegradecopper.The project proponent shall obtain manufacturer's certificate also for that.	
(xliii)	Theprojectproponentshallensurethatexitvelocityfromthestackshouldbesufficientlyhigh.Stackshallbedesignedinsuchawaythatthereisnostackdown-washunderanymeteorologicalconditions.	Noted.
(xliv)	Thevalidityofthisenvironmentclearanceletterisvalidupto7yearsfromthedateofissuanceofECletter.TheenvironmentclearanceconditionsapplicabletilllifespaceprojectincaseofResidentialprojectwillcontinuetoapply.Theresidentwelfareassociation/Housingco-operativesocietieshallresponsibleto comply conditionslaid downinEC.In.caseofviolationthe actionwouldbetakenasperthelaid downlawofland.Compliance reportshouldbesenttothisoffice tilllifeoftheproject.	Agreed. This will be followed.
(xlv)	If project is not completed within the validityperiodthentheprojectproponentshall submit the application for extensionofvaliditywithinonemonthbeforethelapseofvalidityperiod environment Clearancei.e.7years.	Noted.
(xlvi)	Theprojectproponentsshouldintimate to the authority well before shifting their address of communication.	Noted.

**B. Compliance of Conditions as mentioned in the NGT Order Dated 10.04.2015**

S.No.	NGT Order dated 10.04.2015	Status of Compliance
1.	Every builder or owner shall put tarpaulin on scaffolding around the area of construction and the building. No person including builder, owner can be permitted to store any construction material particularly sand on any part of the street, roads in any colony.	At present, green net has been provided on the building. As well as no construction materials such as cement, sand and aggregates is being stored on any part of the street, roads in any colony. Photograph is enclosed in Chapter II.
2.	The construction material of any kind that is stored in the site will be fully covered in all respects so that it does not disperse in the Air in any form.	Construction material on site has been covered and stored at a separate place within the site to minimize dust dispersion in the air. Photograph is enclosed in Chapter II.

<b>Project Name</b>	<b>Six Monthly Compliance report for Revision and Expansion of Affordable Group Housing Project</b>
<b>Project Proponent</b>	<b>M/s Agrasain Spaces LLP</b>
<b>Project Address</b>	<b>Village Mujeri, Sector 70, Faridabad</b>

**JUNE  
2020**

3.	All the construction material and debris shall be carried in the trucks or other vehicles which are fully covered and protected so as to ensure that the construction debris or the construction material does not get dispersed into the air or atmosphere, in any form	The trucks carrying construction materials are being suitably covered by tarpaulin and plastic sheets as much as possible.
4.	The dust emissions from the construction site should be completely controlled and all precautions taken in that behalf.	Water sprinkling is being done regularly to control dust dispersion. Anti-Smog gun is also used to suppress dust. Photograph is enclosed in
5.	The vehicles carrying construction material and construction debris of any kind should be cleaned before it is permitted to ply on the road after unloading of such material.	Vehicles carrying construction material are cleaned before they exit towards the road after unloading of such material.
6.	Every worker working on the construction site and involved in loading, unloading and carriage of construction material and construction debris shall be provided with mask to prevent inhalation of dust particles.	All health, safety measures and personal protective equipment's such as dust mask, gloves etc have been provided to workers at construction area to prevent inhalation of dust particles. Hoardings/boards along with training is being given regularly to aware the workers. Photograph is enclosed in Chapter II.
7.	Every owner and or builder shall be under obligation to provide all medical help, investigation and treatment to the workers involved in the construction of building and carry of construction material and debris relatable to dust emission.	First aid facility has been provided. Photograph is enclosed in Chapter II. Log book of the same is maintained.
8.	It shall be the responsibility of every builder to transport construction material and debris waste to construction site, dumping site or any other place in accordance with rules and in terms of this order.	Construction material and debris waste will be used at site for levelling purpose. Remaining construction waste (if left) will be sent to the authorized vendor in accordance with rules and terms of this order, as well as per the Construction and Demolition Waste Management Rules, 2016.
9.	All to take appropriate measures and to ensure that the terms and conditions of the earlier order and these orders should strictly comply with by fixing sprinklers, creations of green air barriers.	Regular sprinkling of water is being carried out at site. Tree plantation is being done which help to prevent dust emission. Anti-Smog gun is also used to suppress dust.
10.	Compulsory use of wet jet in grinding and stone cutting.	Wet jet is used whenever required.
11.	Wind breaking walls around construction site shall be provided.	Barricading is provided around the project site and for operation phase, boundary wall has been provided.